

# '78 VW TRANSPORTERS



# '78-VW-KARWEIERS

# Kombi and Microbus.



There's a good reason why, year after year, the VW Kombi range has consistently remained South Africa's top seller in its class. Exceptional value for money.

Nothing else around gives you ten-seater roominess and a 1 000 dm<sup>3</sup> boot for anything like the price of our 1600 Kombi. And no other 10-seater irrespective of price gives you the same advanced technical specifications. There's independent suspension all round for a 4-way cushioned ride. A low-revving can't-boil can't-freeze engine that uses little petrol and no water at all. And you'll find a degree of interior luxury that wouldn't shame a car. Our Kombi 1600L, for instance, gives you new glovesoft bonded vinyl seats, a padded steering wheel, an anti-dazzle

rear-view mirror plus flow-through ventilation and, for winter, a highly efficient heater.

For even more plushness and power there's our 2000L Microbus. With a wide sliding side door, a walk-through aisle between the front seats and a potent but economical 2-litre engine. 9,7 litres/100 km at 80 km/h said CAR magazine's road test. Giving you a tank range of 580 km on the open road.

Like all Volkswagens, both Kombi and Microbus are guaranteed for 12 months irrespective of kilometres covered; moneysaving protection that's unique in this class of vehicle. Just like the value represented by the Kombi and Microbus themselves.

# Kombi en Mikrobus.



Daar's 'n goeie rede waarom die VW-Kombi-reeks gereeld elke jaar Suid-Afrika se topverkoper in sy klas bly. Dit is sy uitsonderlike waarde vir geld.

Niks anders om u bied u tiensitplekruimte en 'n bagasiebak van 1 000 dm<sup>3</sup> vir 'n prys selfs naby dié van ons 1600-Kombi nie. En geen ander 10-sitplekwa, teen watter prys ook al, bied u dieselfde gevorderde tegniese spesifikasies nie. Dis onafhanklike vering deurgaans vir 'n viervoudig gekussingde rit. 'n Laespoedenjin wat nie kan kook of vries nie, weinig brandstof gebruik en glad geen water nie. En die binneweelde van 'n wafferse motor. Ons Kombi 1600 L het byvoorbeeld nuwe handskoensagte gebinde vinielsitplekke, 'n gestofeerde stuurwiel, 'n skitterwerende truvenster plus

deurvloeventilasie en, vir die winter, 'n hoogs doeltreffende verwarmers.

Vir selfs nog meer luuksheid en krag is daar ons 2000 L-Mikrobus. Met 'n wye skuifdeur, 'n deurgang tussen die voorste sitplekke en 'n kragtige dog ekonomiese 2-liter-enjin. 9,7 liter/100 km teen 80 km/h, volgens CAR-tydskrif se padtoets. 'n Tenkafstand dus van 580 km op die oop pad.

Soos alle Volkswagens, is Kombi en Mikrobus gewaarborg vir 12 maande ongeag die afstand afgelê. 'n Geldbespaar-voorreg wat uniek is vir dié klas voertuig. Net soos die waarde van die Kombi en Mikrobus self.

# Panel van.



A cavernous 5 000 dm<sup>3</sup> of lock-up weather-tight room, a 1 000 kg-plus payload – and the kind of economy that makes even small deliveries profitable. That's the secret of success behind the world famous VW Panel Van. And for '78, it comes in 4 different variations to suit your requirements exactly.

Lowest-priced van is our 1600 model, with swing-open side doors, lift-up rear door and bench-type front seat. Next in line is the 1600L model, with an aisle between the front seats for direct walk-through access to the load. A convenient kerbside sliding door lets you get right alongside any loading ramp.

For extra tall orders, our High Roof model has

an additional 270 mm of load height to cater for specialised loads. Finally, to put extra punch in your delivery schedule, there's our 2000L model. With two litres of big-bore power that takes it easy no matter how hard your Panel Van is working.

# Paneelwa.



'n Spelonkagtige weerdigte sluitbare ruimte van 5 000 dm<sup>3</sup>, 'n loonvrag van 1 000 kg plus – en die soort besparing wat selfs klein aflewerinkies winsgewend maak. Dis die geheim van die wêreldberoemde VW-Paneelwa se sukses. En dié vir '78 is beskikbaar in 4 verskillende variasies om al u behoeftes te bevredig.

Die billikste wa nog is ons 1600-model met oopswaai-sydeure, oplig-agterdeur en banktipe voorste sitplek. Daarna kom die 1600 L-model met 'n deurgang tussen die voorste sitplekke om die vrag by te kom. En danksy 'n gerieflike straatrand-skuifdeur kan u tot vlak by enige laaioprit intrek.

Vir ekstra-hoogstaande bestellings is ons Hoëdakmodel nog 'n ekstra 270 mm hoër. Verlang

u egter 'n karweier met sommer baie beurkrag, het u ons 2000 L-model. Twee liter grootboorkrag laat die Paneelwa speel-speel met die taaiste taak afreken.

# Pick-up. Bakkie.



Faced with really bulky loading problems? Pack up your troubles in one of our 1600L or 2000L Pick-ups. The VW 1600L and 2000L Single Cab Pick-ups have the largest flat load deck in their class – 2,70 metres by 1,57 metres – while all three load deck sides drop down for easy access. And if that wasn't enough, there's also a second fully enclosed load compartment under the main deck for your fragiles, valuables and perishables. Total Pick-up payload: a whopping 1 095 kg. If your transport problems involve both goods and people, your answer's a VW 1600L or 2000L Double Cab Pick-up. With seats for up to 7 people, it still gives you a 1,85 by 1,57 metre load deck behind.

Of moet u buitengewoon massale vragte vervoer? Pak dan u probleme in een van ons 1600L- of 2000L-Bakkies. Die VW 1600L- en 2000L-Enkelkajuitbakkies het die grootste plat laaidek in hul klas, nl. 2,70 meter by 1,57 meter, terwyl al drie sye van die laaidekke afslaan vir maklik bykom. En bo en behalwe dit is daar ook nog 'n tweede volkome toe laaikompartement onder die hoofdek vir u breekbare, kosbare en bederfbare goed. Dit maak sy totale loonvrag 'n enorme 1 095 kg. As u goedere sowel as mense moet vervoer, is die VW 1600L- of 2000L-Dubbelkajuitbakkie ideaal. Benewens sy sitruimte vir 7 persone het hy 'n laaidek agter van 1,85 by 1,57 meter.

# Service. Diensgewing.



Like Volkswagen Transporters, VW Service is in a class of its own. A network of 241 Authorised Dealers means you're never far from expert VW service or genuine VW parts.

An additional money-saving VW bonus is our Exchange Engine scheme. It allows you to give your old Transporter a whole new lease of life at minimal cost.

Finally, there's Volkswagen's handy One-Stop Finance Programme that lets you buy your Transporter with Volkswagen's money. For full details, see your Volkswagen dealer.

**All Volkswagen Transporters guaranteed for 12 months irrespective of kilometres covered.**

Net soos die Volkswagen-Karweiers, is die VW-versiening sonder gelyke. 'n Netwerk van 241 gemagtigde handelaars gee dat u nooit ver van deskundige VW-diens of egte VW-onderdele af is nie.

Nog 'n geldbesparende VW-bonus is ons enjinruilskema. Dit stel u in staat om u ou karweier teen 'n minimale koste veel langer te laat lewe.

Laastens is daar Volkswagen se handige Eenstop-finansierprogram wat dit vir u moontlik maak om u karweier met Volkswagen se geld te koop. Kry besonderhede by u VW-handelaar.

**Alle Volkswagen-karweiers is gewaarborg vir 12 maande ongeag die afstand afgelê.**

# Specifications. Spesifikasies.

Engine:	Capacities:		Transmission:	
	1,6 Litre	2,0 Litre	1,6 Litre	2,0 Litre
4-cylinder, horizontally opposed, air cooled.			Fuel Tank 56 litres (1600 L) 43 litres (1600)	56 litres
Displacement	1 584 cm <sup>3</sup>	1 970 cm <sup>3</sup>	Lubrication:	
Bore	85,5 mm	94 mm	Crankcase 2,5 litres	3,5 litres
Stroke	69,0 mm	71 mm	Gearbox 3,5 litres	3,5 litres (man.)
Output (kW – DIN) at r/min	37,0 4 000	51,5 4 200		
Torque – DIN at r/min	108 N.m 2 800	143 N.m 2 800		
Compression Ratio	7,5:1	7,3:1		

## Dimensions (kg):

	Pick Up 1600 L	Pick Up 2000 L	Double Cabin P/up 2000 L	Panel Van 1600	Panel Van 1600 L	High Roof Panel Van 1600 L	Panel Van 2000 L	Kombi 1600	Kombi 1600 L	Microbus and Executive 2000 L
Nett Mass	1 060	1 116	1 179	1 040	1 155	1 188	1 184	1 150	1 250	1 290
Payload	1 095	1 184	1 121	1 115	1 145	1 112	1 116	1 005	920	880
Gross Load	2 155	2 300	2 300	2 155	2 300	2 300	2 300	2 155	2 170	2 170
Load Dimensions (mm)										
Freight Compartment:										
Length	2 700 (1 300*)		1 855	1 892	2 810	2 810	2 810	820†	700†	700†
Width	1 570 (1 600*)		1 570	1 610	1 570	1 570	1 570	1 563†	1 450†	1 450†
Height	N/A (340*)		N/A	1 438	1 410	1 765	1 410	950†	900†	900†

\*Dimensions of lock-up compartment below load deck for 1600 L & 2000 L Pick-Ups

†Load dimensions above engine

## External Dimensions:

	1600 L & 2000 L	1600
Wheelbase	2 400	2 400
Track: Front	1 395	1 375
Rear	1 455	1 360
Ground Clearance	200	199
Length	4 505	4 397
Width	1 720	1 746
Height	1 960	1 909

Specifications subject to change without notice.

Enjin	Inhoudsvermoëns:		Transmissie:	
	1,6 Liter	2,0 Liter	1,6 Liter	2,0 Liter
4 silinders, horisontaal teengestel, lugverkoel.			Brandstof-tenk 56 liter (1600 L) 43 liter (1600)	56 liter
Verplasing	1 584 cm <sup>3</sup>	1 970 cm <sup>3</sup>	Smering:	
Boring	85,5 mm	94 mm	Krukkas 2,5 liter	3,5 liter
Slag	69 mm	71 mm	Ratkas 3,5 liter	3,5 liter (Handt.)
Lewering (kW – DIN) teen r/min	37 4 000	51,5 4 200		
Wringkrag teen r/min	108 N.m 2 800	143 N.m 2 800		
Drukverhouding	7,5:1	7,3:1		

1600  
Ratkas en ewenaar vorm 'n eenheid met die enjin. 4 vorentoeratte, almal sinchroonskakelend. Outomatiese slegs aan Mikrobus.

1600  
Ratkas en ewenaar vorm 'n eenheid met die enjin. 4 vorentoeratte, almal sinchroonskakelend. Ewenaar met swaai-halfasse.

## Afmetings (kg):

	Bakkie 1600 L	Bakkie 2000 L	Dubbel-kajuit-bakkie 2000 L	Paneelwa 1600	Paneelwa 1600 L	Hoëdak-paneelwa 1600 L	Paneelwa 2000 L	Kombi 1600	Kombi 1600 L	Mikrobus en Executive 2000 L
Netto Massa	1 060	1 116	1 179	1 040	1 155	1 188	1 184	1 150	1 250	1 290
Loonvrag	1 095	1 184	1 121	1 115	1 145	1 112	1 116	1 005	920	880
Bruto Vrag	2 155	2 300	2 300	2 155	2 300	2 300	2 300	2 155	2 170	2 170
Lasafmetings (mm)										
Vragkompartement:										
Lengte	2 700 (1 300*)		1 855	1 892	2 810	2 810	2 810	820†	700†	700†
Breedte	1 570 (1 600*)		1 570	1 610	1 570	1 570	1 570	1 563†	1 450†	1 450†
Hoogte	N/T (340*)		N/T	1 438	1 410	1 765	1 410	950†	900†	900†

\*Afmetings van sluitkompartement onder laaidek vir 1600 L- sowel as 2000 L-Bakkie

†Pakplek bo enjin

## Buite-afmetings:

	1600 L & 2000 L	1600
Asafstand	2 400	2 400
Spoor: Voor	1 395	1 375
Agter	1 455	1 360
Grondvryhoogte	200	199
Lengte	4 505	4 397
Breedte	1 720	1 746
Hoogte	1 960	1 909

Spesifikasies onderworpe aan verandering sonder kennisgewing.